


swepro 1HP grinder series.
Strong. Durable. Low-vibration.

swepro 1HP grinder series. A strong basis. Many possibilities.



The new 1 hp grinder series convinces with a compact design and impresses with a high quality.

To ensure a long product life and maximum user comfort high quality German ball bearings were chosen, as well as Kevlar blades.

As a result, the devices are low-vibration and have a low noise.

In order to provide you with a grinder that fits best to your application, we have chosen four different variations: a straight, elongated and angled grinder, as well as a surface grinder.

The grinders are ideal for polishing and deburring.

swepro 1HP grinder series. A strong basis. Many possibilities.



SW 7633 Straight Die Grinder



SW 7632 Corner Grinder




SW 7644 Straight Die Grinder extended shank



SW 7635 Angled Straight Die Grinder

swepro 1HP grinder series. A strong basis. Many possibilities.



Thoughtful **design.** Outstanding **quality.**

Kevlar-blades

The Kevlar blades are characterized by a high quality, as well as a temperature resistance up 400 ° C. They convince with a long service life whereby the Grinders are very efficient and durable.

German high-performance ball bearings


The use of high-quality ball bearings increases the overall quality and the tool life significantly, as the friction in the ball bearing drops and wear is reduced.

Optimized air cylinder

Because of the material selection the surface condition inside the air cylinder is very fine with a clearly reduced roughness. Small air holes fill with oil and form a constant, thin film of oil. This ensures a continuous lubrication of the blades, which is very beneficial the service life.




MATERIAL
Composit



SIZE
Compact



BLADES
Kevlar



BALL-BEARINGS
High quality




WEIGHT
Extremely
light



POWER
Very strong



SAFETY

	SW 7633	SW 7644	SW 7635	SW 7632
				
Torque	20.000 1/m	20.000 1/m	15.000 1/m	17.000 1/m
Weight	0,8 kg	1,4 kg	1,1 kg	1,2 kg
Vibration	2,7 m/s ²			
Air connection	1/4"			
max. operating pressure	6,3 bar			
Sound	89 dB(A)			
Air consumption	370 l/min			

We are here for **you**.

You have questions about our 1HP Grinders?

We are happy to help you to find the right tool for your applications and requirements!

You would like to test our product in advance?

For 14 days you can convince yourself of the quality of our products.



We are looking forward to your contact:

+49 (0) 2131 - 75 22 100

Mo.-Do. 08.00 Uhr bis 17.00 Uhr

Fr. 08.00 Uhr bis 15:00 Uhr

info@swepro.com

www.swepro.com

